


STEPPING AHEAD OF RISK

TREND MICRO 2023 MIDYEAR CYBERSECURITY THREAT REPORT




RANSOMWARE THREATS


Top 3 Countries and Regions by detected ransomware attacks



Top 3 Industries and Segments by detected ransomware attacks



New Ransomware Families found in the first half of 2023




Mimic ransomware

- Targets Russian- and English-speaking users.
- Abuses APIs of Everything, a Windows file name search engine, to query target files to encrypt.
- Has code similar to the 2022 Conti ransomware.

DarkBit ransomware


- Targets educational institutions in Israel.
- Is written in Go programming language, which simplifies the process of supporting various operating systems.
- Employs AES-256 encryption, which can affect a wide range of file types.
- Accepts command-line arguments and can be run autonomously.

Top 5 Ransomware Families detected in the first half of 2023




Ransomware Detections

Total Ransomware Detections **90,945**



Most Increased Detection by Operating System



Linux variants remain a staple for new ransomware families with over 62% more ransomware detections in the first half of 2023 compared to the first half of 2022.

Ransomware families that target Linux include RTM Locker, BlackSuit, Akira, and Trigona

Notable Insights

- 1 In addition to Go and Rust, threat actors now also use the new compiling ransomware programming language NIM to avoid detection and make analysis harder, as observed in the BazarLoader and DarkPower ransomware.
- 2 We observed an increase in new arrival and execution methods that help ransomware actors avoid detection and increase success:
 - Bring-your-own-vulnerable-driver (BYOVD) attacks, specifically involving AuKill, SpyBoy, and BlackCat
 - Zero-day exploit attacks: Nokoyawa and BlackBasta abused CVE-2023-28252, and Clop abused vulnerabilities in 3CX, GoAnywhere, MOVEit, and PaperCut
- 3 Threat actors continue to use leaked source code as the basis for the new ransomware variants. The LockBit ransomware used Bl00dy and BabLock source code, Babuk used Cylance and RA Group, and both ransomware families used Buhti.
- 4 While WannaCry remains detected in our telemetry, the ransomware family's infections have been classified as dormant and very low risk. A kill switch was activated when an odd domain was registered by security researcher Marcus Hutchins. As long as the sinkholed domain is up and running, WannaCry will not encrypt files.

STEPPING AHEAD OF RISK


TREND MICRO 2023 MIDYEAR CYBERSECURITY THREAT REPORT



CLOUD AND ENTERPRISE

Top 5 Countries


with detected email threats



Top 5 Industries

affected by risk events


The manufacturing industry had the most risk event detections based on our attack surface risk management (ASRM) data.



Top 5 Risk Events

detected on secured routers


Top risk events in our Home Network Security involved initial access through credentials and a vulnerability caused by an error in processing HTTP packets that results in a heap buffer overflow.



Top 5 Devices

affected by inbound attacks

Desktops and laptops recorded the most inbound attack detections based on our Home Network Security data.





Top Tactics, Techniques, and Procedures (TTPs)


used against endpoints and networks

Endpoint

Network



Vendor Vulnerability Count



High-Risk Email Threats





Spam Attachments

Spam attachments peaked in June at 3.9 million detections, a whopping 1,242% increase from the beginning of the year. PDFs are the most used spam attachment file type.

Total Spam Attachments **8,994,806**

File Types




STEPPING AHEAD OF RISK

TREND MICRO 2023 MIDYEAR CYBERSECURITY THREAT REPORT

RISK LANDSCAPE

Top Risk Events


detected via Trend Micro Attack Surface Risk Management (ASRM)



The top two risk events detected via ASRM involve risky cloud applications and accessing risky websites.

Top 3 Countries

with risk events, malware detection, and malicious URL access




- Top countries with risk events detected
- Top countries with malware detection
- Top countries accessing malicious URLs

Top 5 Industries

affected by malware campaigns

In the first half of 2023, malware campaigns targeted government organizations the most with 145,912 detections.



Top Abused CVEs

The top CVE abused is specific to log4j-core. This data is based on combined data from Trend Cloud One™, Trend Micro Apex One™, Trend Micro™ Deep Security™ Software, and Trend Micro™ TippingPoint™.

	CVEs	Severity Rating	ID	Solutions
1	CVE-2021-44228	CVSS: 10.0 critical An attacker who can control log messages or log message parameters can execute arbitrary code.	1011242	Deep Security Software
2	CVE-2018-0833	CVSS: 5.3 medium Microsoft Server Message Block 2.0 and 3.0 client in specific Windows versions could allow a denial-of-service (DoS) vulnerability.	1008915	Trend Micro Apex One
3	CVE-2022-30522	CVSS: 7.5 high A vulnerable Apache HTTP Server 2.4.53 could allow excessively large memory allocations and trigger an abort.	1011466	Deep Security Software

Top Riskiest CVEs


exploited in the wild

The top five riskiest CVEs exploited in the wild and detected by our ASRM telemetry show vulnerabilities in Windows operating systems.

	CVEs	Severity Rating
1	CVE-2023-28252	CVSS: 7.8 high Windows Common Log File System Driver Elevation of Privilege Vulnerability
2	CVE-2023-24880	CVSS: 4.4 medium Windows SmartScreen Security Feature Bypass Vulnerability
3	CVE-2023-21823	CVSS: 7.8 high Windows Graphics Component Remote Code Execution Vulnerability
4	CVE-2023-23376	CVSS: 7.8 high Windows Common Log File System Driver Elevation of Privilege Vulnerability
5	CVE-2023-21674	CVSS: 8.8 high Windows Advanced Local Procedure Call (ALPC) Elevation of Privilege Vulnerability

Top 5 Detected Tactics

found overall in endpoints, networks, and email




Top tactics in total detection count each month (January – April 2023)

- Includes but is not limited to targeted spear phishing and exploiting weaknesses on public-facing web servers
- Commonly includes attempts to mimic normal, expected traffic to avoid detection
- Can involve the use of remote access tools or legitimate credentials with native network and operating system tools
- Uninstalls or disables security software, or obfuscates and encrypts data and scripts
- Involves abusing trusted processes to hide the presence of malware
- Pertains to techniques to gain knowledge about the system and internal network
- Involves the use of native operating system tools for gathering information and exploring what can be controlled

Top Tracked Trends

of detected tactics, techniques, and procedures (TTPs)


Detections from February to April show a shift in focus from Persistence to Defense Evasion and Impact tactics.



Overall trend in TTPs by number of customers hit each month (December 2022 – April 2023)

Top Malware Families

Three malware families maintained prolificacy in the first half of 2022 and 2023.



Top malware families (January – June 2023)

Webshell

- Had the most malware detections in the first half of 2022 and maintained this top spot in the first half of 2023.
- Exploits vulnerabilities in internet-facing web servers.


CoinMiner

- Was last reported as having exploited the Oracle WebLogic Server vulnerabilities (CVE-2020-14882)


Top 5 Android Malware Families

Total Android Malware **3,691,456**

Top 5 Android Malware Families



Monthly Android malware detections (January – June 2023)



Top 5 Android malware families (January – June 2023)

A new trojan malware family made it to the top five in the first half of 2023.

Boogr is a new trojan malware family first reported in May 2023. This piece of malware is capable of:

- Downloading malicious files
- Sending text messages

It was last reported as having exploited the Oracle WebLogic Server vulnerabilities (CVE-2020-14882).

944
1H 2022

894
1H 2023


Vulnerabilities

There are 50 fewer zero-day vulnerability advisories in the first half of this year compared to last year.

No. of vulnerability advisories (1H 2022 vs. 1H 2023)

Vulnerability Advisories

There was an increase in zero-day exploit advisories and industrial control system (ICS) and N-day vulnerabilities from March to May 2023.



No. of total ZDI vulnerability advisories, ICS, ICS zero-day, non-ICS zero-day, and non-ICS and N-day vulnerabilities (January – June 2023)

Top Recommendations to Lower Risk


- Apply the latest patch or upgrade your operating system or application version.
- Apply prevention rules from Trend Micro products to protect vulnerabilities from being exploited.
- Optimize weak settings in your current environment.
- Avoid accessing reported risky applications or sanction them as necessary.
- Disable or reset accounts with a strong password. Enable the Account Lockout Policy in your current environment.
- Restrict user account usage on an affected device and verify and resolve high-risk events in the at-risk device.
- Investigate the event using Trend Vision One™ Workbench.

STEPPING AHEAD OF RISK

TREND MICRO 2023 MIDYEAR CYBERSECURITY THREAT REPORT

APT CAMPAIGNS

APT Campaigns



Notable Insights

Gameradon

2020 - present

- ⊕ Targets government organizations in Ukraine
- ➔ Is delivered by spear-phishing emails, typically by attaching Word files that trigger remote template injection and execute a malicious macro
- ⓘ Is possibly a general intelligence operation against Ukraine

Earth Longzhi

December 2022 - March 2023

- ⊕ Targets government, healthcare, technology, and manufacturing organizations
- ➔ Abuses a Windows Defender executable to perform DLL sideloading
- ⓘ Disables security products by "stack rumbling" via Image File Execution Options

Bluenoroff's RustBucket Campaign

March - May 2023

- ⊕ Targets crypto assets and blockchain-related organizations
- ⓘ Possibly aimed to obtain funds for weapons development (based on a report by the Panel of Experts of the UN Security Council Sanctions Committee)

3CX Supply-Chain Attack

March 2023

- ⊕ Targets cryptocurrency companies and users
- ➔ Uses an MSI package compromised with trojanized DLLs and a malicious macOS DYLIB
- ⓘ Steals information, such as browser data and history, and launches additional attacks if the victim organization is valuable

NOBELIUM's Spear-Phishing Attack

January 2022 - present

- ⊕ Targets diplomatic agencies
- ➔ Sent spear-phishing emails to diplomats and impersonated embassies in European countries
- 📎 Attached a PDF file or had an email body that contained an embedded link to the next stage payload source
- ⓘ Possibly aimed at finding information on the diplomatic policies of each target country

Evasive Panda

April 26, 2023

- ⊕ Targets China-affiliated individuals and individuals affiliated with NGOs in Hong Kong, Macau, and Nigeria
- ➔ Is distributed via software updates for legitimate applications
- ⓘ Reportedly used backdoor MgBot

Kimsuky

2013 - May 2023

- ⊕ Targets security, diplomacy, defense, and Korean-language support groups
- ➔ Is delivered in a phishing email with a .doc and a .chm file infecting the device with a piece of malware that harvests credentials
- ⓘ Collects intelligence from diplomatic, security, and national defense organizations

Konni Group LNK File Campaign

April - May 2023

- ⊕ Targets Korean-language businesses
- ➔ Uses LNK files and tax-related decoy files in its attacks
- ⓘ Is possibly motivated by monetary goals

SharpPanda

May 28, 2023

- ⊕ Targets government agencies in Europe, United States, and Asia
- ➔ Is distributed by a decoy file that is a malware executable via the RoyalRoad exploit
- ⓘ Is possibly a general intelligence operation against the Central Asian region

Downnex

2022 - present

- ⊕ Targets diplomatic missions and organizations in Afghanistan, Germany, and Mongolia
- ➔ Is delivered by executing a disguised .exe file that itself executes a .hta file and attempts to obtain and execute the next stage payload from the command-and-control (C&C) server
- ⓘ Is possibly a general intelligence operation against the Central Asian region

Group 123 LNK File Campaign

April - May 2023

- ⊕ Targets individuals assumed to have expertise in the Democratic People's Republic of Korea (DPRK)
- ➔ Uses LNK files that infect victims with ROKRAT in its attacks